AS	PC SSOCIATION CONNECTING ECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannocl nternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratio	n encompas		r level mate	erials for	which th	item is an assembly e manufacturer has eclaration.		
1752-2 1.1 IPC Web Site for Information or http://www.ipc.org/IPC-175x					-1752 Standa					claration Class * ss 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat							
Sup	plier Information																
Cor	npany Name *		Company Unique ID		Unique ID Au	nique ID Authority		Response Date *			Response Document ID						
SEN	ITECH CORPORATIO	ON	SEMTECH CORPOR	RATION		2016-05-24											
Contact Name *			Title - Contact		Phone - Contact *		Email - Contact *					0 1 1	A (1		. e 1		
Elvia Finkel			Specialist, Document	t Control/C	805-498-2111		efinkel@semtech.com				Duplicate	Contact ·	-> Autho	rized Re	presentative		
Authorized Representative *		ive *	Title - Representative	9	Phone - Representative *		Email - Representative *			* Sup	Supplier Comments or URL for Additional Information						
Elvia Finkel			Specialist, Documen	t Control/C	805-498-211	805-498-2111		efinkel@semtech.com									
Requester Item Number		r	Mfr Item Number		Mfr Item Name		Effective Date Vers		Version	Manufacturi	ng Site	Weight *	UC	M	Unit Type		
			NT20042-QSOP-TR	20042-QSOP-TR 3		3.3V / 5.0 V 300 Mbps LED Driv		y I		Taiwan	79		mg		Each		
	Alternate Recommendation						Alternate Item C			ents	•						
Ма	nufacturing Proce	ss In	formation														
Terminal Plating / Grid Array Material		Terminal B	ase Alloy	J-STD-020 MSL Ra	ating	ng Peak Process Body		Temperature	ire Max Time at Peak Temperature		perature	Number of Reflow Cycles					
Matte Tin (Sn) - annealed Comments				CU Alloy		1		2		2 50 C		30 seconds		3			
NT2	20042-QSOP-TR is a	REAC	H-compliant produc	t, per EU	Regulation E	EC1907/2006 to in	clude	recent ad	Idition of	f SVHC cai	ndidate list	of substan	ices De	cember 2	2015		

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields					
RoHS Materia	RoHS Material Composition Declaration Declaration Declaration Type * Detailed											
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),					
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided					
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted					
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration					
Declaration S	ignature											
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second s	terrestring and - Distingthe stars					

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category		Substance		CAS	Exempt	Weight	Unit of	Toleranc		PPM
	Name		Material	weight	Measure		Levei	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	FFIVI
+1 -1	Leadframe	+M -M	C194	25.28	mg	+C -C	Supplier		+S	-S	Cu	7440-50-8		23.91412	mg		9	945,97
									+S	-s	Fe	7439-89-6		0.53088	mg			21,000
						+C -C	A		+S	-s	Lead	7439-92-1		0.00076	mg			30
						+C -C	Supplier		+S	-s	Р	7723-14-0		0.03792	mg			1,500
									+S	-s	Zn	7440-66-6		0.03792	mg			1,500
		_							+S	-s	Ag	7440-22-4		0.7584	mg			30,000
+1 -1	Mold Compound	+M -M	EME G700HA	50.42	mg	+C -C	Supplier		+S	-S	Epoxy Resin	Trade Secre		3.0252	mg			60,000
									+S	-s	Phenol Resin	Trade Secre		1.5126	mg			30,000
									+S	-s	Silica(Amorphous) A	60676-86-0		40.336	mg			800,00
									+S	-s	Silica(Amorphous) B	7631-86-9		5.042	mg			100,00
									+S	-s	Carbon Black	1333-86-4		0.5042	mg			10,000
+1 -1	Die	+M -M		0.79	mg	+C -C	Supplier		+S	-S	Si	7440-21-3		0.79	mg			1,000,0
+1 -1	Die Attach	+M -M	1076DJ-G	0.06	mg	+C -C	Supplier		+S	-S	Ag	7440-22-4		0.0456	mg			760,00
									+S	-S	Epoxy Resin A	9003-36-5		0.0018	mg			30,000
									+S	-s	Epoxy Resin B	Trade Secre		0.0042	mg			70,000
									+S	-S	Hardener	Trade Secre		0.0018	mg			30,000
									+S	-S	Diluent A	Trade Secre		0.0018	mg			30,000
									+S	-S	Diluent B	Trade Secre		0.00316	mg			70,000
									+S	-s	Dicyandiamide	461-58-5		0.00018	mg			3,000
		_							+S	-s	Organic Peroxide	Trade Secre		0.00042	mg			7,000
+ -	Wire	+M -M		0.08	mg	+C -C	Supplier		+S	-s	Au	7440-57-5		0.8	mg			1,000,0
+ -	Lead Finish (Platin	g+M -M		2.37	mg	+C -C	Supplier		+S	-S	Sn	744-31-5		2.36976	mg		9	999,90
						+C -C	A		+S	-S	Lead	7439-92-1		0.00024	mg			100