ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc aternational and Pan-Americ	kburn, Illinois	. All rights reserve	tion with lower	s document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly lower level parts, the declaration encompasses all lower level materials for which the manufacturer has ineering responsibility. Adobe Reader version 7.0.5 is required to complete this declaration.												
1752-2 1.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x						Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa								
Supplier Information																		
Company Name *	Company Unique ID		Unique ID Au	Response Date *			F	Response Document ID										
SEMTECH CORPORATION	ON	00-847-9941		DUNS	2017-03-28													
Contact Name *		Title - Contact		Phone - Con	Email - Contact *				D !! -	-1- 01	. A 41-	: I D -						
Roya Motamedi		Supervisor, QA Prod	uct Suppo	805-498-211	rmotamedi@semtech.com			om	Duplic	ate Contac	t -> Autn	orizea Re	epresentative					
Authorized Representative *		Title - Representative)	Phone - Rep	Email - Representative *			* 5	Supplier Comments or URL for Additional Information									
Roya Motamedi		Supervisor, QA Prod	uct Suppo	805-498-211	rmotamedi@semtech.com			om										
Requester Item Number		Mfr Item Number		Mfr Item Name		Effectiv	e Date	Version	Manufad	turing Site	Weight	* U	ОМ	Unit Type				
		SC2440ATETRT		2.5 MHz Dual				Malaysi	a	59.99	m	g	Each					
Alternate Recommenda	commendation				Alternate Iten			Item Cor	nments	<u> </u>			•					
Manufacturing Proces	ss Inf	formation				•												
Terminal Plating / Grid Array Material			Terminal Base Alloy		J-STD-020 MSL Ra	ating	Peak Prod	cess Body Tempera		ture Max Time at Peak Tem		emperature	Number	of Reflow Cycles				
Matte Tin (Sn) Comments			CU Alloy		1			260 (30		seconds	3					
SC2440ATETRT is REA	СН-сс	ompliant product, pe	er EU Reg	ulation EC19	07/2006 to includ	le rece	nt additio	on of SVI	HC can	didate list o	of substance	es in Jan	uary 201	7.				

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem Name			Homogeneous Material	Weight	Unit of Measure			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolera	ance +	PPM
+1 -1	Lead Frame	+M	I -M	C7025 Ag plated	19	mg	+C	-c	Supplier		+S	-S	Si	7440-21-3		0.1	mg			1,584
							+C	-C	В	Nickel (external applic	+S	-s	Nickel	7440-02-0		0.665	mg			11,085
							+C	-C	Supplier		+S	-s	Magnesium	7439-95-4		0.029	mg			475
											+S	-S	Iron	7439-89-6		0.023	mg			380
											+S	-s	Zinc	7440-66-6		0.095	mg			1,584
											+S	-S	Manganese	7439-96-5		0.01	mg			158
							+C	-c	A	Lead/Lead Compound	+S	-S	Lead	7439-92-1		0.0019	mg			32
							+C	-C	Supplier		+S	-s	Copper	7440-50-8		17.89	mg			298,25
	_		_	-						,	+S	-s	Silver	7440-22-4		0.19	mg			3,167
+1 -1	Die	+M	-М	Silicon chip	3.09	mg	+C	-с	Supplier		+S	-S	Si	7440-21-3		3.09	mg			51,509
+1 -1	Die attach material	+M	-M	QMI519	0.5	mg	+C	-c	Supplier		+S	-S	Silver	7440-22-4		0.43	mg			7,085
											+S	-s	Carbocyclic acrylate	Proprietary		0.05	mg			833
											+S	-s	2-Propenoic acid, 2-me	68586-19-6		0.2	mg			375
		_									+S	-S	2-(3,4-Epoxycyclohexy	3388-04-3		0	mg			42
+1 -1	Wire	+M	-M	PdCu	0.15	mg	+C	-c	Supplier		+S	-\$	Cu	7440-50-8		0.1474	mg			2,457
		_								,	+S	-S	Palladium (Pd)	7440-05-3		0.0026	mg			43.76
+1 -1	Lead Finish	+M	-M	Alloy	3.64	mg	+C	-c	Supplier		+S	-S	Sn	7440-31-5		3.639636	mg			60,671
											+S	-S	Others			0.00036	mg			6.07
+1 -1	Encapsulation	+M	-M	G700HA	33.61	mg	+C	-c	Supplier		+S	-s	Silica Fused	60686-86-0		29.48	mg			491,34
											+S	-S	Epoxy resin	Proprietary		2.35	mg			39,218
											+S	-S	Phenol resin	Proprietary		1.68	mg			28,013
											+S	-S	Carbon Black	1333-86-4		0.01	mg			1,681