	© Co	terial Compo pyright 2005. IPC, Bannoc International and Pan-Americ	kburn, Illinois	. All rights reserve	tion with lower	level p	oarts, the	declaratio	n enco	mpasses a	all lower l	level mate	rials for	which t	e item is an assembly he manufacturer has declaration.	
1752-2 1.1		Web Site for Informat		-1752 Standa	rd					claration Class * ass 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information																
Company Name *		Company Unique ID		Unique ID Au	Ithority	Resp	onse Date	e *		Respons	e Docum	ent ID				
SEMTECH CORPORATION 00-847-9941				DUNS		2017-	02-27									
Contact Name * Roya Motamedi		Title - Contact Supervisor, QA Prod					Email - Contact * rmotamedi@semtech.com			Duplicate Contact -> Authorized Representative						
Authorized Representative * Title - Representative Roya Motamedi Supervisor, QA Product Su				Phone - Representative *			Email - Representative * rmotamedi@semtech.com				Commen	its or URL	for Add	litional I	nformation	
Requester Item Number	r	Mfr Item Number		Mfr Item Name	Effectiv	Version	sion Manufactu		te V	Neight *	UC	M	Unit Type			
		High Efficiency Boos	t Converte	SC4538ULTR	۲T							7.38	mg	g	Each	
Alternate Recommenda	ation						Alternate Item C			omments						
Manufacturing Proces	ss In	formation														
Terminal Plating / Grid Array	Mater	ial	Terminal Ba	ase Alloy	J-STD-020 MSL R	ating	Peak Proc	cess Body	Tempe	rature Ma	x Time at I	Peak Temp	erature	Number	of Reflow Cycles	
Matte Tin (Sn) CU Allo			CU Alloy	/ 1						;	30 seconds			3		
Comments SC4538ULTRT is REAC	Н-соі	mpliant product, per	EU Regu	lation EC190	7/2006 to include	e recen	t additio	n of SVH	C cano	didate list	t of subs	stances in	Janua	ry 2017		

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields						
RoHS Materia	RoHS Material Composition Declaration Declaration Declaration Type * Detailed												
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),						
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided						
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted						
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration						
Declaration S	ignature												
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se		and the second s	terrestring and - Distingthe stars						

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Woight	Unit of	Tolerance		РРМ
	Name			Material	weight	Measure			Levei	Substance Category			Substance	CAS		weight	Measure	-	+	FEIWI
+ -	Die	+M	-М	Silicon Chip	0.29	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		0.29	mg			39,295
+ -	Lead frame	+M	-м	C7025 Ag	2.89	mg	+C	-C	Supplier		+S	-S	Silicon	7440-21-3		0.04	mg			5,678.1
		_					+C	-C	в	Nickel (external applic	+S	-s	Nickel	7440-02-0		0.0925	mg			12,531
							+C	-C	Supplier		+S	-s	Magnesium	7439-95-4		0.0052	mg			704.88
											+S	-S	Cu	7440-50-8		2.7215	mg			368,76
											+S	-S	Silver	7440-22-4		0.0289	mg			3,915.9
+ -	Die attach	+M	-м	QMI519 (non-cor	0.18	mg	+C	-C	Supplier		+S	-s	Silver	7440-22-4		0.153	mg			20,731
		,									+S	-S	Acrylates	Proprietary		0.009	mg			1,219.5
											+S	-S	Proprietary Bismaleimic	Proprietary		0.009	mg			1,219.5
											+S	-S	Additive	Proprietary		0.009	mg			1,219.5
+ -	Wire	+M	-м	Gold	0.1	mg	+C	-C	Supplier		+S	-s	Au	7440-57-5		0.1	mg			13,548
		,									+S	-S	Others			0.00001	mg			1.36
+ -	Lead finish	+M	-м	Tin	0.27	mg	+C	-C	Supplier		+S	-s	Sn	7440-31-5		0.27	mg			36,581
											+S	-S	Others			0.00003	mg			3.66
+ -	Encapsulation	+M	-м	EME-G770HC ep	3.65	mg	+C	-C	Supplier		+S	-s	Silica Fused	60676-86-0		3.42	mg			463,42
<u> </u>											+S	-s	Epoxy resin	Proprietary		0.11	mg			14,837
											+S	-S	Phenol resin	Proprietary		0.11	mg			14,837
											+S	-s	Carbon black	1333-86-4		0.01	mg			1,483.7