Company Name * Company Unique ID Unique ID Authority Response Date * 2011-09-02 Contact Name * Title - Contact Phone - Contact * (805) 48-2111 Rreader@semtech.com Authorized Representative * Requester Item Number Mfr Item Number (805) 498-2111 Rreader@semtech.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight * UOM Unit Type Alternate Recommendation Alternate Recommendation Alternate Item Comments Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy Alternate Terminal Base Alloy Alternate Terminal Base Alloy Alternate Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycle	ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratio	n encom	ipasses al	II lower le	vel mater	rials for	which t	e item is an assembl he manufacturer ha declaration.
Company Name * SEMTECH CORPORATION Contact Name * ROYA READER Authorized Representative * Requester Item Number Requester Item Number Mfr Item Number SL24.TCT Alternate Recommendation Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Plating / Grid Array Material Title - Contact Phone - Contact * (805) 48-2111 Response Date * 2011-09-02 Email - Contact * Reager @semtech.com Pupilicate Contact -> Authorized Representative * Supplier Comments or URL for Additional Information Register Contact -> Authorized Representative * Reager @semtech.com Response Date * 2011-09-02 Email - Contact * Reager @semtech.com Supplier Comments or URL for Additional Information Meight * UOM Unit Type Alternate Item Comments Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time at Peak Temperature Number of Reflow Cyc Max Time Alloy 42 Max Time at Peak Temperature Number of Reflow Cyc	1752-2 1.1	_			-1752 Standa	1 7					-	omogen	eous N	/laterial:	s and Mfg Informa	
SEMTECH CORPORATION Contact Name * ROYA READER Authorized Representative * ROYA READER Requester Item Number Requester Item Number SL24.TCT Alternate Recommendation Manufacturing Process Information Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Plating / Grid Array Material Title - Contact Phone - Contact * (805) 48-2111 Rreader@semtech.com Email - Contact * Requester tem Number Email - Representative * Remail - Representative * Remail - Representative * Remail - Representative * Remail - Representative * Supplier Comments or URL for Additional Information Meight * UOM Unit Type China 8.633 mg Each Alternate Item Comments Alternate Item Comments Max Time at Peak Temperature Number of Reflow Cycle Number of Reflow Cycle Matter Tin (Sn) Alloy 42 1 260 C 30 seconds 3	Supplier Information															
Contact Name * ROYA READER Authorized Representative * ROYA READER Authorized Representative * ROYA READER Authorized Representative * ROYA READER Requester Item Number Requester Item Number Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Version Alternate Recommendation Manufacturing Process Information Terminal Plating / Grid Array Material Alloy 42 Title - Contact * (805) 48-2111 Rreader @semtech.com Supplier Contact -> Authorized Representative Supplier Contact -> Authorized Representative Supplier Comments or URL for Additional Information Manufacturing Site Weight * UOM Unit Type Alternate Item Comments Alternate Item Comments Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycle Max Time at Peak Temperature Number of Reflow Cycle	Company Name *		Company Unique ID		Unique ID Au	uthority	Respo	nse Date	*	F	Response	Docume	nt ID			
ROYA READER Authorized Representative * Title - Representative Phone - Representative * (805) 48-2111 Rreader@semtech.com Email - Representative * Supplier Comments or URL for Additional Information Supplier Comments or URL for Additional Information Supplier Comments or URL for Additional Information Supplier Comments Supplier C	SEMTECH CORPORATION	NC					2011-0	9-02								
ROYA READER Authorized Representative * Title - Representative * Phone - Representative * ROYA READER ROYA READER ROYA READER Requester Item Number Requester Item Number Requester Item Number Recommendation Mfr Item Name Effective Date Version Manufacturing Site Weight * UOM Unit Type Low-Capacitance TVS Diode fo Alternate Recommendation Alternate Item Comments Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy Alloy 42 1 Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cyc Matter Tin (Sn) Alloy 42 Alloy 42 Rreader@semtech.com Supplier Comments or URL for Additional Information Manufacturing Site Weight * UOM Unit Type China Requester Item Comments Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cyc Matter Tin (Sn) Alloy 42 1 260 C 30 Seconds 3	Contact Name *		Title - Contact		Phone - Cor	ntact *	Email	- Contac	t *		5	l:		Λ 11		
Requester Item Number	ROYA READER				(805) 48-211	1	Rread	er@semt	ech.com	1	Dup	olicate C	ontact -:	> Autho	rizea Re	epresentative
Requester Item Number	Authorized Representati	ive *	Title - Representative	Э	Phone - Rep	resentative *	Email	- Repres	entative	*	Supplier C	Comments	or URL	for Add	ditional I	nformation
SL24.TCT Low-Capacitance TVS Diode fo China 8.633 mg Each	ROYA READER				(805) 498-21	11	Rread	er@semt	ech.com	1						
Alternate Recommendation Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Plating / Grid Array Material Terminal Plating / Alloy 42 Alloy 42 Alloy 42 Alternate Item Comments	Requester Item Numbe	r	Mfr Item Number		Mfr Item Name)	Effectiv	e Date	Version	Manufa	cturing Site	e We	eight *	UC	M	Unit Type
Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycle Matte Tin (Sn) Alloy 42 1 260 C 30 seconds 3			SL24.TCT		Low-Capacita	ance TVS Diode fo				China		8.6	633	mg]	Each
Terminal Plating / Grid Array Material Terminal Base Alloy Alloy 42 J-STD-020 MSL Rating Peak Process Body Temperature Peak Temperature Peak Temperature Number of Reflow Cycle 30 seconds 3	Alternate Recommend	ation							Alternate	Item Co	mments			•		•
Matte Tin (Sn) Alloy 42 1 260 C 30 seconds 3	Manufacturing Proce	ss In	formation													
	Terminal Plating / Grid Array	Materi	al	Terminal B	ase Alloy	J-STD-020 MSL Ra	iting	Peak Proc	ess Body	Tempera	ture Max	Time at Pe	eak Temp	erature	Number	of Reflow Cycles
Commonts	Matte Tin (Sn)			Alloy 42		1			2	260 C			30 sec	conds	3	
Continents	Comments					1										

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

Item/SubItem				Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM	
		Name			Material	Weight	Measure			LCVCI	oubstance oategory			Gubstance	OAO	LXCIIIpt	Weight	Measure	-	+	
+I	-I	DIE CHIP	+M	-М	Si, Doped	0.3689	mg	+C	-C	Supplier		+S	-S	Silicon (Si)	7440-21-3		0.3689	mg			42,730
+I	-I	LEAD FRAME, SOT	+M	-М	Alloy42	2.4432	mg	+C	-C	Supplier		+S	-S	Iron (Fe)	7439-89-6		1.4085	mg			163,15
												+S	-S	Manganese (Mn)	7439-96-5		0.0147	mg			1,698
												+S	-S	Chromium (Cr)	7440-47-3		0.0024	mg			283
												+S	Ş	Cobalt (Co)	7440-48-4		0.0122	mg			1,415
												+S	Ş	Silicon (Si)	7440-21-3		0.0037	mg			425
								+C	-C	В		+S	-S	Nickel	7440-02-0		1.0017	mg			116,03
			+M	-М	Silver pad	0.1034	mg	+C	-C	Supplier		+S	-S	Silver (Ag)	7440-22-4		0.1034	mg			11,982
+I	-1	BONDING WIRE	+M	-М	Gold Wire	0.0216	mg	+C	-C	Supplier		+S	-S	Gold (Au)	7440-57-5		0.0216	mg			2,504
+I	-1	ENCAPSULATION	+M	-М	CEL-1702HF9	5.292	mg	+C	-C	Supplier		+S	-S	Silica (SiO2)	60676-86-0		4.6199	mg			535,14
	_				-							+S	-S	Epoxy Resin	29690-82-2		0.2646	mg			30,650
												+S	-S	Phenol Resin	26834-02-6		0.2646	mg			30,650
												+S	Ş	Aromatic Poly-Phospha	Proprietary		0.1323	mg			15,325
									_			+S	Ş	Carbon Black	1333-86-4		0.0106	mg			1,226
+I	-1	DIE ATTACH EPOX	+M	-М	84-1LMISR4	0.1485	mg	+C	-C	Supplier		+S	-S	Silver (Ag)	7440-22-4		0.1113	mg			12,897
												+S	-S	Epoxy Resin	Proprietary		0.0297	mg			3,439
												+S	-S	Curing Agent & Harden	Proprietary		0.0074	mg			860
+I	-I	PLATING FINISH	+M	-M	Tin Solder	0.2555	mg	+C	-C	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.2555	mg			29,592