| | © Co | terial Compo pyright 2005. IPC, Bannoc Iternational and Pan-Americ | kburn, Illinois | . All rights reserve | tion with lower | | , the o | declaratior | n encom | | ver level mate | erials for | which th | e item is an assembly ne manufacturer has leclaration. | | |
|--|---|--|----------------------------|---|--------------------|--|---------------|---------------|---|--|----------------|------------|----------|--|--|--|
| 1/32-2 1.1 | | Neb Site for Informat | -1752 Standa | rd | | | | | claration Class * Iss 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa | | | | | | | |
| Supplier Information | | | | | | | | | | | | | | | | |
| Company Name * | | Company Unique ID | | Unique ID Au | Ithority | Response | e Date |) * | F | Response Doo | ument ID | | | | | |
| SEMTECH CORPORATIO | 00-847-9941 | | DUNS | 2016-08-09 | | | | | | | | | | | | |
| Contact Name * Roya Motamedi | | Title - Contact Supervisor, QA Product Suppor | | | | Email - Contact * rmotamedi@semtech.com | | | om | Duplicate Contact -> Authorized Representative | | | | | | |
| Authorized Representati Roya Motamedi | Title - Representative Supervisor, QA Prod | | Phone - Rep 805-498-211 | Email - Representative * rmotamedi@semtech.com | | | | Supplier Comr | nents or URL | for Add | itional Ir | nformation | | | | |
| Requester Item Number | r | Mfr Item Number | | Mfr Item Name | | Effective Da | ate | Version | Manufa | cturing Site | Weight * | UO | М | Unit Type | | |
| | TS13103-QFNR | | | Neo-Iso Solid | State Relay with I | Þ | | China | | 24.53 | | mg | | Each | | |
| Alternate Recommenda | nendation | | | | Alternate Item C | | | Item Co | nments | | | | | | | |
| Manufacturing Proces | ss In | formation | | | | - | | | | | | | | | | |
| Terminal Plating / Grid Array I | Materi | al | Terminal Ba | ase Alloy | J-STD-020 MSL Ra | iting Pea | k Proc | ess Body | Tempera | ature Max Time | at Peak Tem | perature | Number | of Reflow Cycles | | |
| Matte Tin (Sn) CU Alloy Comments | | | | 260 | | | 2 60 C | | 30 se | econds | 3 | | | | | |
| TS13103-QFNR is REAC | H-co | mpliant product, pe | r EU Regu | lation EC190 |)7/2006 to include | e recent ac | dditio | n of SVH | C cand | lidate list of s | ubstances i | n June 2 | 2015. | | | |

| Save the fields in this form to a file | Evport Data | Import fields from a file into this form | Import Data | Clear all of the fields on this form | Reset Form | Lock the fields on this form to prevent chan | Look Cupplier Fields | | | | |
|--|--|---|---|--|--|--|--|--|--|--|--|
| RoHS Material Composition Declaration Declaration Declaration Type * | | | | | | | | | | | |
| | | ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity | | | | | ominated Biphenyls (PBB), | | | | |
| chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree | ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights | ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp | ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s | ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the | it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co | eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that | ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided | | | | |
| RoHS Declaration | n * 1 - Item(s) does not conta | ain RoHS restricted substances per the | he definition above | | | Supplier Acceptance * | Accepted | | | | |
| | e declared item does not co all applicable exemptions. | ntain RoHS restricted substanc | es per the definition a | above except for defined | RoHS exemptions, then | select the corresponding re | esponse in the RoHS Declaration | | | | |
| Declaration S | ignature | | | | | | | | | | |
| In a family of the second | ward a factor and the factor of the second s | al Calaba and all manages of the last | | a second se | • • • • • | and the second s | terrestring and - Distingthe stars | | | | |

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

| | Item/SubItem | | Homogeneous | Weight | Unit of | | Level | Substance Category | | | Substance | CAS | Exampt | Weight | Unit of | Tolerance | | PPM |
|-------|---------------|-------|--------------|--------|---------|-------|----------|--------------------|----|----|-------------------------|-------------|----------|---------|---------|-----------|---|---------|
| | Name | | Material | weight | Measure | | Levei | Substance Category | | | Substance | CAS | Exempt | weight | Measure | - | + | FFIN |
| +l -l | Lead frame | +M -M | C194 Ag spot | 8 | mg | +C -C | Supplier | | +S | -S | Iron | 7439-89-6 | | 0.18 | mg | | | 7,337.9 |
| | | | | | | | | | +S | -S | Phosphorus | 7723-14-0 | | 0.012 | mg | | | 489.2 |
| | | | | | | | | | +S | -S | Zinc | 7440-66-6 | | 0.008 | mg | | | 326.13 |
| | | | | | | | | | +S | -s | Copper | 7440-50-8 | | 7.68 | mg | | | 313,08 |
| | | | | | | | | | +S | -S | Silver | 7440-22-4 | | 0.12 | mg | | | 4,891.9 |
| + - | Die | +M -M | Silicon chip | 1.51 | mg | +C -C | Supplier | | +S | -S | Si | 7440-21-3 | | 1.51 | mg | | | 61,557 |
| + - | Ероху | +M -M | QMI519 | 0.34 | mg | +C -C | Supplier | | +S | -s | 2-Propionic acid, methy | Proprietary | | 0.0544 | mg | | | 2,217.6 |
| | | | | | | | | | +S | -S | 2-Propenoic acid, 2-met | 68586-19-6 | | 0.01 | mg | | | 415.82 |
| | | | | | | | | | +S | -S | Bis(.alpha.,.alphaDime | 80-43-3 | | 0.00068 | mg | | | 27.72 |
| | | | | | | | | | +S | -S | 2-(3,4-Epoxycyclohexyl | 3388-4-3 | | 0.001 | mg | | | 41.58 |
| + - | Wire | +M -M | Cu 1.2 | 0.1 | mg | +C -C | Supplier | | +S | -s | Cu | 7440-50-8 | | 0.0965 | mg | | : | 3,933.9 |
| | | | | | | | | | +S | -S | Pd | 7440-05-3 | | 0.003 | mg | | | 122.3 |
| | | | | | | | | | +S | -s | Au | 7440-57-5 | | 0.0005 | mg | | | 20.38 |
| + - | Mold compound | +M -M | EME-G770HCD | 14.21 | mg | +C -C | Supplier | | +S | -s | Epoxy resin | Proprietary | | 0.4263 | mg | | | 17,378 |
| | | | • | 1 | 1 | | | | +S | -s | Phenol resin | Proprietary | | 0.4263 | mg | | | 17,378 |
| | | | | | | | | | +S | -S | Silica (Amorphous) A | 60676-86-0 | | 11.403 | mg | | | 464,88 |
| | | | | | | | | | +S | -S | Silica (Amorphous) B | 7631-86-9 | | 1.9183 | mg | | | 78,204 |
| | | | | | | | | | +S | -S | с | 1333-86-4 | | 0.0355 | mg | | | 1,448.2 |
| + - | Lead finish | +M -M | Tin | 0.37 | mg | +C -C | Supplier | | +S | -s | Sn | 7440-31-5 | <u> </u> | 0.37 | mg | | | 15,083 |